

We make a material difference

SAFETY DATA SHEET

1. Identification

Product identifier Tapecoat 20

Other means of identification

TC20 **Synonyms**

Recommended use Not available.

Recommended restrictions No other uses are advised. Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Chase Corporation - Tapecoat Division

Address 1527 Lyons Street

Evanston, IL 60201

United States

General Assistance **Telephone** 800 543-3458

E-mail info@chasecorp.com

Emergency phone number Chemtrec (US - 24 hrs) 800 424-9300

Chemtrec (INTL - 24 hrs) 703-527-3887

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Germ cell mutagenicity Category 1B

> Carcinogenicity Category 1A Reproductive toxicity Category 1B

Environmental hazards Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement

May cause genetic defects. H340

H350 May cause cancer.

H360 May damage fertility or the unborn child.

Precautionary statement

Prevention

Obtain special instructions before use. P201

Do not handle until all safety precautions have been read and understood. P202 Wear protective gloves/protective clothing/eye protection/face protection. P280

Response

If exposed or concerned: Get medical advice/attention. P308 + P313

Storage

Material name: Tapecoat 20 SDS US P405 Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

61% of the mixture consists of component(s) of unknown acute oral toxicity. 61% of the mixture consists of component(s) of unknown acute dermal toxicity.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Pitch, Coal Tar, High-temp.		65996-93-2	60 - < 70
Constituents			
Chemical name	Common name and synonyms	CAS number	%
Fluoranthene		206-44-0	2 - 2.75
Phenanthrene		85-01-8	1.8 - 2.5
Pyrene		129-00-0	1.5 - 2
1,2-benzanthracene		56-55-3	0.7 - 1
1,2-benzphenanthrene		218-01-9	0.7 - 1
Benzo(a) Pyrene		50-32-8	0.7 - 1
Benzo[ghi]perylene		191-24-2	0.5 - 1
Benzo (b) Fluoranthene		205-99-2	0.5 - 0.7
Indeno[1,2,3-cd]pyrene		193-39-5	0.5 - 0.7
Dibenzo(a,h)pyrene		189-64-0	0.4 - 0.6
Benzo[j]fluoranthene		205-82-3	0.4 - 0.5
Benzo[k]fluoranthene		207-08-9	0.4 - 0.5
Carbazole		86-74-8	0.3 - 0.4
Acenaphthene		83-32-9	0.2 - 0.3
Dibenzo(a,e)pyrene		192-65-4	0.15 - 0.25
Dibenz[a,h]anthracene		53-70-3	0.15 - 0.15
Dibenzo[a,i]pyrene		189-55-9	0.15 - 0.15
Naphthalene		91-20-3	0.02 - 0.15

Composition comments

Occupational Exposure Limits for constituents are listed in Section 8.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur. Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and delayed

Indication of immediate

medical attention and special treatment needed **General information**

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in

attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Foam. Dry powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Material name: Tapecoat 20 SDS US

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Use water spray to cool unopened containers.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Stop the flow of material, if this is without risk, Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the

SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL. TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Material	Туре `	, Value	
Tapecoat 20	PEL	0.2 mg/m3	
Components	Туре	Value	
Pitch, Coal Tar, High-temp. (CAS 65996-93-2)	PEL	0.2 mg/m3	
Constituents	Туре	Value	
Pyrene (CAS 129-00-0)	PEL	0.2 mg/m3	
Phenanthrene (CAS 85-01-8)	PEL	0.2 mg/m3	
Fluoranthene (CAS 206-44-0)	PEL	0.2 mg/m3	
Naphthalene (CAS 91-20-3)	PEL	50 mg/m3 10 ppm	

US. ACGIH Threshold Limit Values				
Material	Туре	Value	Form	
Tapecoat 20	TWA	0.2 mg/m3	Aerosol.	
Components	Туре	Value	Form	
Pitch, Coal Tar, High-temp. (CAS 65996-93-2)	TWA	0.2 mg/m3	Aerosol.	
Constituents	Туре	Value	Form	
Pyrene (CAS 129-00-0)	TWA	0.2 mg/m3	Aerosol.	
Phenanthrene (CAS 85-01-8)	TWA	0.2 mg/m3	Aerosol.	
Fluoranthene (CAS 206-44-0)	TWA	0.2 mg/m3	Aerosol.	
Naphthalene (CAS 91-20-3)	TWA	10 ppm		

Material name: Tapecoat 20 3 / 12

US. NIOSH: Pocket Guide to Chemic		Walne	Form
Material	Туре	Value	Form
Tapecoat 20	TWA	0.1 mg/m3	Cyclohexane-extractable fraction.
Components	Туре	Value	Form
Pitch, Coal Tar, High-temp. (CAS 65996-93-2)	TWA	0.1 mg/m3	Cyclohexane-extractable fraction.
Constituents	Туре	Value	Form
Pyrene (CAS 129-00-0)	TWA	0.1 mg/m3	Cyclohexane-extractable fraction.
Phenanthrene (CAS 85-01-8)	TWA	0.1 mg/m3	Cyclohexane-extractable fraction.
Fluoranthene (CAS 206-44-0)	TWA	0.1 mg/m3	Cyclohexane-extractable fraction.
Naphthalene (CAS 91-20-3)	STEL	75 mg/m3	
		15 ppm	
	TWA	50 mg/m3	
		10 ppm	

Biological limit values

ACGIH Biological Exposเ Constituents	Value	Determinant	Specimen	Sampling Time
1,2-benzanthracene (CAS 56-55-3)	2.5 μg/l	1-Hydroxypyre ne, with hydrolysis (1-HP)	Urine	*
1,2-benzphenanthrene (CAS 218-01-9)	2.5 μg/l	1-Hydroxypyre ne, with hydrolysis (1-HP)	Urine	*
Benzo(a) Pyrene (CAS 50-32-8)	2.5 μg/l	1-Hydroxypyre ne, with hydrolysis (1-HP)	Urine	*
Benzo[ghi]perylene (CAS 191-24-2)	2.5 μg/l	1-Hydroxypyre ne, with hydrolysis (1-HP)	Urine	*
Pyrene (CAS 129-00-0)	2.5 µg/l	1-Hydroxypyre ne, with hydrolysis (1-HP)	Urine	*
Phenanthrene (CAS 85-01-8)	2.5 μg/l	1-Hydroxypyre ne, with hydrolysis (1-HP)	Urine	*
Fluoranthene (CAS 206-44-0)	2.5 μg/l	1-Hydroxypyre ne, with hydrolysis (1-HP)	Urine	*
Dibenz[a,h]anthracene (CAS 53-70-3)	2.5 μg/l	1-Hydroxypyre ne, with hydrolysis (1-HP)	Urine	*
Dibenzo[a,i]pyrene (CAS 189-55-9)	2.5 μg/l	1-Hydroxypyre ne, with hydrolysis (1-HP)	Urine	*
Dibenzo(a,e)pyrene (CAS 192-65-4)	2.5 μg/l	1-Hydroxypyre ne, with hydrolysis (1-HP)	Urine	*

Material name: Tapecoat 20 sps us

ACGIH Biological Exposu Constituents	re Indices Value	Determinant	Specimen	Sampling Time	
Acenaphthene (CAS 83-32-9)	2.5 μg/l	1-Hydroxypyre ne, with hydrolysis (1-HP)	Urine	*	
Carbazole (CAS 86-74-8)	2.5 μg/l	1-Hydroxypyre ne, with hydrolysis (1-HP)	Urine	*	
Benzo[j]fluoranthene (CAS 205-82-3)	2.5 µg/l	1-Hydroxypyre ne, with hydrolysis (1-HP)	Urine	*	
Benzo[k]fluoranthene (CAS 207-08-9)	2.5 μg/l	1-Hydroxypyre ne, with hydrolysis (1-HP)	Urine	*	
Dibenzo(a,h)pyrene (CAS 189-64-0)	2.5 µg/l	1-Hydroxypyre ne, with hydrolysis (1-HP)	Urine	*	
Benzo (b) Fluoranthene (CAS 205-99-2)	2.5 μg/l	1-Hydroxypyre ne, with hydrolysis (1-HP)	Urine	*	
Indeno[1,2,3-cd]pyrene (CAS 193-39-5)	2.5 μg/l	1-Hydroxypyre ne, with hydrolysis (1-HP)	Urine	*	

^{* -} For sampling details, please see the source document.

Exposure guidelines

US - California OELs: Skin designation

Naphthalene (CAS 91-20-3) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Naphthalene (CAS 91-20-3) Danger of cutaneous absorption

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions, If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

If contact is likely, safety glasses with side shields are recommended. Eye/face protection

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Other Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Not applicable.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Solid. Roll. Form Color Black Odor Aromatic Not available. Odor threshold рΗ Not available.

Material name: Tapecoat 20

Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

> 374.0 °F (> 190.0 °C) Cleveland Open Cup Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%)

0.00001 hPa estimated Vapor pressure

Vapor density Not available. Not available. Relative density

Solubility(ies)

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water)

> 752 °F (> 400 °C) **Auto-ignition temperature**

Not available. **Decomposition temperature** Not available. **Viscosity**

Other information

Density 1.35 g/cm3 Not explosive. **Explosive properties Oxidizing properties** Not oxidizing.

Specific gravity 1.35

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Material is stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not known.

Toxicological data

Constituents **Test Results Species**

Naphthalene (CAS 91-20-3)

Acute Dermal

LD50 Rabbit > 2 g/kg

Material name: Tapecoat 20 SDS US 6 / 12 Constituents **Test Results Species**

Carbazole (CAS 86-74-8)

Acute Oral

LD50 > 5000 mg/kg Rat

Benzo(a) Pyrene (CAS 50-32-8)

Acute Dermal

LD50 Rat > 2000 mg/kg

Oral

LD50 Rat 725 mg/kg

Phenanthrene (CAS 85-01-8)

Acute

Oral

LD50 Mouse 700 mg/kg

Fluoranthene (CAS 206-44-0)

Acute Dermal

3180 mg/kg Rabbit LD50

Prolonged skin contact may cause temporary irritation. Skin corrosion/irritation Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

May cause genetic defects. Germ cell mutagenicity

Carcinogenicity May cause cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

1,2-benzanthracene (CAS 56-55-3) 2B Possibly carcinogenic to humans. 1,2-benzphenanthrene (CAS 218-01-9) 2B Possibly carcinogenic to humans.

Acenaphthene (CAS 83-32-9) 3 Not classifiable as to carcinogenicity to humans.

Benzo (b) Fluoranthene (CAS 205-99-2) 2B Possibly carcinogenic to humans.

Benzo(a) Pyrene (CAS 50-32-8) 1 Carcinogenic to humans.

Benzo[ghi]perylene (CAS 191-24-2) 3 Not classifiable as to carcinogenicity to humans.

Benzo[j]fluoranthene (CAS 205-82-3) 2B Possibly carcinogenic to humans. Benzo[k]fluoranthene (CAS 207-08-9) 2B Possibly carcinogenic to humans. Carbazole (CAS 86-74-8) 2B Possibly carcinogenic to humans. Dibenz[a,h]anthracene (CAS 53-70-3) 2A Probably carcinogenic to humans.

Dibenzo(a,e)pyrene (CAS 192-65-4) 3 Not classifiable as to carcinogenicity to humans.

Dibenzo(a,h)pyrene (CAS 189-64-0) 2B Possibly carcinogenic to humans. Dibenzo[a,i]pyrene (CAS 189-55-9) 2B Possibly carcinogenic to humans.

Fluoranthene (CAS 206-44-0) 3 Not classifiable as to carcinogenicity to humans.

Indeno[1,2,3-cd]pyrene (CAS 193-39-5) 2B Possibly carcinogenic to humans. Naphthalene (CAS 91-20-3) 2B Possibly carcinogenic to humans.

Phenanthrene (CAS 85-01-8) 3 Not classifiable as to carcinogenicity to humans.

Pitch, Coal Tar, High-temp. (CAS 65996-93-2) 1 Carcinogenic to humans.

3 Not classifiable as to carcinogenicity to humans. Pyrene (CAS 129-00-0)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

US. National Toxicology Program (NTP) Report on Carcinogens

1,2-benzanthracene (CAS 56-55-3) Known To Be Human Carcinogen.

Reasonably Anticipated to be a Human Carcinogen.

Known To Be Human Carcinogen. 1,2-benzphenanthrene (CAS 218-01-9) Acenaphthene (CAS 83-32-9) Known To Be Human Carcinogen. Benzo (b) Fluoranthene (CAS 205-99-2) Known To Be Human Carcinogen.

Reasonably Anticipated to be a Human Carcinogen.

Benzo(a) Pyrene (CAS 50-32-8) Known To Be Human Carcinogen.

Reasonably Anticipated to be a Human Carcinogen.

Benzo[ghi]perylene (CAS 191-24-2) Known To Be Human Carcinogen.

Material name: Tapecoat 20 SDS US 7 / 12 Benzo[j]fluoranthene (CAS 205-82-3) Known To Be Human Carcinogen.

Reasonably Anticipated to be a Human Carcinogen.

Known To Be Human Carcinogen.

Reasonably Anticipated to be a Human Carcinogen.

Known To Be Human Carcinogen. Dibenz[a,h]anthracene (CAS 53-70-3)

Reasonably Anticipated to be a Human Carcinogen.

Known To Be Human Carcinogen. Dibenzo(a,e)pyrene (CAS 192-65-4)

Reasonably Anticipated to be a Human Carcinogen.

Known To Be Human Carcinogen. Dibenzo(a,h)pyrene (CAS 189-64-0)

Reasonably Anticipated to be a Human Carcinogen.

Dibenzo[a,i]pyrene (CAS 189-55-9) Known To Be Human Carcinogen.

Reasonably Anticipated to be a Human Carcinogen.

Fluoranthene (CAS 206-44-0) Known To Be Human Carcinogen. Indeno[1,2,3-cd]pyrene (CAS 193-39-5) Known To Be Human Carcinogen.

Reasonably Anticipated to be a Human Carcinogen.

Known To Be Human Carcinogen.

Reasonably Anticipated to be a Human Carcinogen.

Phenanthrene (CAS 85-01-8) Known To Be Human Carcinogen. Pitch, Coal Tar, High-temp. (CAS 65996-93-2) Known To Be Human Carcinogen. Pyrene (CAS 129-00-0) Known To Be Human Carcinogen.

Reproductive toxicity May damage fertility or the unborn child.

Specific target organ toxicity -

Naphthalene (CAS 91-20-3)

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Not an aspiration hazard. Aspiration hazard

Benzo[k]fluoranthene (CAS 207-08-9)

Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Constituents **Species Test Results**

Naphthalene (CAS 91-20-3)

Aquatic

Acute

Crustacea EC50 Water flea (Daphnia magna) >= 1.09 - <= 3.4 mg/l, 48 hours Fish LC50 Pink salmon (Oncorhynchus gorbuscha) >= 0.95 - <= 1.62 mg/l, 96 hours

Acenaphthene (CAS 83-32-9)

Aquatic

Acute

Crustacea EC50 Water flea (Daphnia magna) >= 1.102 - <= 1.475 mg/l, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) >= 0.52 - <= 0.71 mg/l, 96 hours

Carbazole (CAS 86-74-8)

Aquatic

Acute

Crustacea EC50 Water flea (Daphnia magna) >= 2.3 - <= 4.88 mg/l, 48 hours

Fish LC50 Fathead minnow (Pimephales promelas) 0.93, 96 hours

Pyrene (CAS 129-00-0)

Aquatic

Acute

Fish LC50 Rainbow trout, donaldson trout > 2 mg/l, 96 hours

(Oncorhynchus mykiss)

Phenanthrene (CAS 85-01-8)

Aquatic

Acute

Crustacea EC50 Water flea (Daphnia magna) >= 0.185 - <= 0.243 mg/l, 48 hours Fish >= 0.438 - <= 0.523 mg/l, 96 hours LC50 Sheepshead minnow (Cyprinodon

variegatus)

Material name: Tapecoat 20 SDS US 1009 Version #: 05 Revision date: 04-08-2022 Issue date: 05-06-2015 8 / 12

Constituents Species Test Results

Fluoranthene (CAS 206-44-0)

Aquatic Acute

Fish LC50 Sheepshead minnow (Cyprinodon 0.0009, 96 hours

variegatus)

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potentialNo data available. **Mobility in soil**No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

US RCRA Hazardous Waste U List: Reference

1,2-benzanthracene (CAS 56-55-3)	U018
1,2-benzphenanthrene (CAS 218-01-9)	U050
Benzo(a) Pyrene (CAS 50-32-8)	U022
Dibenz[a,h]anthracene (CAS 53-70-3)	U063
Dibenzo[a,i]pyrene (CAS 189-55-9)	U064
Fluoranthene (CAS 206-44-0)	U120
Indeno[1,2,3-cd]pyrene (CAS 193-39-5)	U137
Naphthalene (CAS 91-20-3)	U165

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

In case quantities of less than 100 pounds, Tapecoat 20 can be shipped as non regulated. Contact the manufactured if other shipping quantities are used.

IATA

Not regulated as dangerous goods.

In case quantities of less than 100 pounds, Tapecoat 20 can be shipped as non regulated. Contact the manufactured if other shipping quantities are used.

IMDG

Not regulated as dangerous goods.

In case quantities of less than 100 pounds, Tapecoat 20 can be shipped as non regulated. Contact the manufactured if other shipping quantities are used.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

Not applicable.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

1,2-benzanthracene (CAS 56-55-3) Listed.
1,2-benzphenanthrene (CAS 218-01-9) Listed.
Acenaphthene (CAS 83-32-9) Listed.

Material name: Tapecoat 20

Benzo (b) Fluoranthene (CAS 205-99-2) Listed. Benzo(a) Pyrene (CAS 50-32-8) Listed. Benzo[ghi]perylene (CAS 191-24-2) Listed. Benzo[k]fluoranthene (CAS 207-08-9) Listed. Carbazole (CAS 86-74-8) Listed. Dibenz[a,h]anthracene (CAS 53-70-3) Listed. Dibenzo[a,i]pyrene (CAS 189-55-9) Listed. Fluoranthene (CAS 206-44-0) Listed. Indeno[1,2,3-cd]pyrene (CAS 193-39-5) Listed. Naphthalene (CAS 91-20-3) Listed. Phenanthrene (CAS 85-01-8) Listed. Pyrene (CAS 129-00-0) Listed.

SARA 304 Emergency release notification

Pyrene (CAS 129-00-0) 5000 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
Pyrene	129-00-0	5000	_	1000	10000

SARA 311/312 Hazardous

chemical

Yes

Classified hazard Germ cell mutagenicity Carcinogenicity categories Reproductive toxicity

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
1,2-benzanthracene	56-55-3	0.7 - 1
1,2-benzphenanthrene	218-01-9	0.7 - 1
Benzo (b) Fluoranthene	205-99-2	0.5 - 0.7
Benzo(a) Pyrene	50-32-8	0.7 - 1
Benzo[ghi]perylene	191-24-2	0.5 - 1
Benzo[j]fluoranthene	205-82-3	0.4 - 0.5
Benzo[k]fluoranthene	207-08-9	0.4 - 0.5
Dibenz[a,h]anthracene	53-70-3	0.15 - 0.15
Dibenzo(a,e)pyrene	192-65-4	0.15 - 0.25
Dibenzo(a,h)pyrene	189-64-0	0.4 - 0.6
Dibenzo[a,i]pyrene	189-55-9	0.15 - 0.15
Fluoranthene	206-44-0	2 - 2.75
Indeno[1,2,3-cd]pyrene	193-39-5	0.5 - 0.7
Naphthalene	91-20-3	0.02 - 0.15
Phenanthrene	85-01-8	1.8 - 2.5

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

1,2-benzanthracene (CAS 56-55-3)

1,2-benzphenanthrene (CAS 218-01-9)

Acenaphthene (CAS 83-32-9)

Benzo (b) Fluoranthene (CAS 205-99-2)

Benzo(a) Pyrene (CAS 50-32-8)

Benzo[ghi]perylene (CAS 191-24-2)

Benzo[j]fluoranthene (CAS 205-82-3)

Benzo[k]fluoranthene (CAS 207-08-9)

Dibenz[a,h]anthracene (CAS 53-70-3)

Dibenzo(a,e)pyrene (CAS 192-65-4)

Dibenzo(a,h)pyrene (CAS 189-64-0)

Dibenzo[a,i]pyrene (CAS 189-55-9)

Fluoranthene (CAS 206-44-0)

Indeno[1,2,3-cd]pyrene (CAS 193-39-5)

Naphthalene (CAS 91-20-3)

Phenanthrene (CAS 85-01-8)

Pyrene (CAS 129-00-0)

Material name: Tapecoat 20 SDS US 10 / 12

1009 Version #: 05 Revision date: 04-08-2022 Issue date: 05-06-2015

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

1,2-benzanthracene (CAS 56-55-3)

1,2-benzphenanthrene (CAS 218-01-9)

Acenaphthene (CAS 83-32-9)

Benzo (b) Fluoranthene (CAS 205-99-2)

Benzo(a) Pyrene (CAS 50-32-8) Benzo[ghi]perylene (CAS 191-24-2) Benzo[j]fluoranthene (CAS 205-82-3) Benzo[k]fluoranthene (CAS 207-08-9)

Carbazole (CAS 86-74-8)

Dibenz[a,h]anthracene (CAS 53-70-3) Dibenzo(a,e)pyrene (CAS 192-65-4) Dibenzo(a,h)pyrene (CAS 189-64-0) Dibenzo[a,i]pyrene (CAS 189-55-9) Fluoranthene (CAS 206-44-0)

Indeno[1,2,3-cd]pyrene (CAS 193-39-5)

Naphthalene (CAS 91-20-3) Phenanthrene (CAS 85-01-8)

Pitch, Coal Tar, High-temp. (CAS 65996-93-2)

Pyrene (CAS 129-00-0)

California Proposition 65



WARNING: This product can expose you to chemicals including 1,2-benzanthracene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

1,2-benzanthracene (CAS 56-55-3)	Listed: July 1, 1987
1,2-benzphenanthrene (CAS 218-01-9)	Listed: January 1, 1990
Benzo (b) Fluoranthene (CAS 205-99-2)	Listed: July 1, 1987
Benzo(a) Pyrene (CAS 50-32-8)	Listed: July 1, 1987
Benzo[j]fluoranthene (CAS 205-82-3)	Listed: July 1, 1987
Benzo[k]fluoranthene (CAS 207-08-9)	Listed: July 1, 1987
Carbazole (CAS 86-74-8)	Listed: May 1, 1996
Dibenz[a,h]anthracene (CAS 53-70-3)	Listed: January 1, 1988
Dibenzo(a,e)pyrene (CAS 192-65-4)	Listed: January 1, 1988
Dibenzo(a,h)pyrene (CAS 189-64-0)	Listed: January 1, 1988
Dibenzo[a,i]pyrene (CAS 189-55-9)	Listed: January 1, 1988
Indeno[1,2,3-cd]pyrene (CAS 193-39-5)	Listed: January 1, 1988
Naphthalene (CAS 91-20-3)	Listed: April 19, 2002

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

Material name: Tapecoat 20 11 / 12

1009 Version #: 05 Revision date: 04-08-2022 Issue date: 05-06-2015

Country(s) or region Inventory name On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

 Issue date
 05-06-2015

 Revision date
 04-08-2022

Version # 05

HMIS® ratings Health: 2*

Flammability: 0 Physical hazard: 0

NFPA ratings Health: 2

Flammability: 0 Instability: 0

List of abbreviations AICIS: Australian Inventory of Industrial Chemicals.

Disclaimer The information offered in this data sheet is designed only as guidance for the safe use, storage

and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication, however, no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. This material is intended for industrial use only.

No warranty, expressed or implied is made.

Revision information This document has undergone significant changes and should be reviewed in its entirety.

Material name: Tapecoat 20 sps us

Yes