

# We make a material difference

# SAFETY DATA SHEET

1. Identification			
Product identifier	Dualite E130-095D		
Other means of identification			
Product code	ME006-977		
Recommended use	Filler.		
Recommended restrictions	Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations. No other uses are advised.		
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name Address	Chase Corporation Special 9 Furman Hall Court Greenville, SC 29609 United States	-	
Telephone	General Assitance	1-800-323-4182	
E-mail	Not available. Chemtrec (US - 24 hrs)	800-424-9300	
Emergency phone number	Chemtrec (Int'l - 24 hrs)	703-527-3887	
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Carcinogenicity		Category 1A
	Specific target organ toxicit exposure	y, repeated	Category 1
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
Signal word	Danger		
Hazard statement	May cause cancer. Causes	damage to organs	s through prolonged or repeated exposure.
Precautionary statement			
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.		
Response	If exposed or concerned: G	et medical advice/	attention.
Storage	Store locked up.		
Disposal	Dispose of contents/contair	ner in accordance v	with local/regional/national/international regulations.

None known.

86.63% of the mixture consists of component(s) of unknown acute oral toxicity. 86.63% of the mixture consists of component(s) of unknown acute dermal toxicity. 84.83% of the mixture consists of component(s) of unknown acute inhalation toxicity. 99.24% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 97.44% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Limestone		1317-65-3	80 - < 90
Isopentane		78-78-4	1 - < 3
Quartz (SiO2)		14808-60-7	< 0.2
Other components below r	eportable levels		10 - < 20

Other components below reportable levels

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Dusts may irritate the respiratory tract, skin and eyes. Coughing. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
	,
5. Fire-fighting measures	
5. Fire-fighting measures Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Suitable extinguishing media Unsuitable extinguishing	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.
Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical Special protective equipment	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire. During fire, gases hazardous to health may be formed.
Suitable extinguishing media Unsuitable extinguishing media Specific hazards arising from the chemical Special protective equipment and precautions for firefighters Fire fighting	<ul><li>Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).</li><li>Do not use water jet as an extinguisher, as this will spread the fire.</li><li>During fire, gases hazardous to health may be formed.</li><li>Self-contained breathing apparatus and full protective clothing must be worn in case of fire.</li></ul>

General fire hazards

No unusual fire or explosion hazards noted. 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect dust using a vacuum cleaner equipped with HEPA filter. Stop the flow of material, if this is without risk.
	Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.
	Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.
	Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

# Environmental precautions Avoid discharge into drains, water courses or onto the ground. 7. Handling and storage Precautions for safe handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. Conditions for safe storage, including any incompatibilities

#### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	for Air Contaminants (29 CFR 1910 Type	Value	Form
Limestone (CAS 1317-65-3)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Quartz (SiO2) (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
US. OSHA Table Z-3 (29 CF) Components	R 1910.1000) Type	Value	Form
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
US. ACGIH Threshold Limit	Values		
Components	Туре	Value	Form
Isopentane (CAS 78-78-4)	TWA	1000 ppm	
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to			_
Components	Туре	Value	Form
Limestone (CAS 1317-65-3)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
logical limit values	No biological exposure limits noted	for the ingredient(s).	
osure guidelines	Occupational exposure to nuisance should be monitored and controlled		espirable crystalline silica
propriate engineering trols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposure below the recommended exposure limits.		
vidual protection measures,	such as personal protective equip		
Eye/face protection	Chemical respirator with organic va	por cartridge, full facepiece, dust	and mist filter.
Skin protection			
Hand protection	Wear appropriate chemical resistar	nt gloves.	

Respiratory protection	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Chemical respirator with organic vapor cartridge, full facepiece, dust and mist filter.
Thermal hazards	Not applicable.
General hygiene considerations	Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

or ringerear and enermour	
Appearance	
Physical state	Solid.
Form	Powder.
Color	White.
Odor	Characteristic.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.13 g/cm³
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials	Fluorine.
Hazardous decomposition	No hazardous decomposition products are known.

products

# 11. Toxicological information

## Information on likely routes of exposure

Information on likely routes of ex			
Inhalation	Dust may irritate respiratory system. Prolonged inhalation may be harmful.		
Skin contact	Dust or powder may irritate the skin.		
Eye contact	Dust may irritate the eyes.		
Ingestion	Expected to be a low ingestion hazard.		
Symptoms related to the physical, chemical and toxicological characteristics	Dusts may irritate the respiratory tract, skin and eyes. Coughing.		
Information on toxicological effe	cts		
Acute toxicity	Not known.		
Components	Species	Test Results	
Isopentane (CAS 78-78-4) <u>Acute</u> Inhalation			
LC50	Mouse	450 mg/l, 2 Hours	
Skin corrosion/irritation	Prolonged skin contact may cau	use temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may ca		
Respiratory or skin sensitization			
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to	cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate promutagenic or genotoxic.	oduct or any components present at greater than 0.1% are	
Carcinogenicity	In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled.		
IARC Monographs. Overall E			
Quartz (SiO2) (CAS 14808	3-60-7) I Substances (29 CFR 1910.100	1 Carcinogenic to humans.	
Quartz (SiO2) (CAS 14808	•	Cancer	
Quartz (SiO2) (CAS 14808		Known To Be Human Carcinogen.	
Reproductive toxicity	,	cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.	,	
Specific target organ toxicity - repeated exposure	Causes damage to organs throu	ugh prolonged or repeated exposure.	
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be ha exposure. Prolonged exposure	rmful. Causes damage to organs through prolonged or repeated may cause chronic effects.	

#### 12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.	
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.	
Bioaccumulative potential		
Partition coefficient n-octar Isopentane	nol / water (log Kow) 2.3	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
13. Disposal consideration	ns	
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of	

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### 14. Transport information

#### DOT

Not regulated as dangerous goods.

# ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

#### 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Listed.

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Isopentane (CAS 78-78-4)

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Quartz (SiO2) (CAS 14808-60-7)

Cancer lung effects immune system effects kidney effects

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazard	dous substance
Not listed.	
SARA 311/312 Hazardous chemical	Yes
Classified hazard	Carcinogenicity

Classified hazard	Carcinogenicity
categories	Specific target organ toxicity (single or repeated exposure)

#### SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Isopentane (CAS 78-78-4)

Safe Drinking Water Act Not regulated.

(SDWA) US state regulations

#### California Proposition 65



**WARNING:** This product can expose you to chemicals including Quartz (SiO2), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### California Proposition 65 - CRT: Listed date/Carcinogenic substance

 Acrylonitrile (CAS 107-13-1)
 Listed: July 1, 1987

 Quartz (SiO2) (CAS 14808-60-7)
 Listed: October 1, 1988

 US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Isopentane (CAS 78-78-4) Quartz (SiO2) (CAS 14808-60-7)

#### International Inventories

Country(s) or region	Inventory name C	n inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
** ***		

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### 16. Other information, including date of preparation or last revision

Issue date	05-31-2015	
Revision date	11-09-2020	
Version #	08	
HMIS® ratings	Health: 3* Flammability: 0 Physical hazard: 0	
NFPA ratings	Health: 0 Flammability: 0 Instability: 0	
Disclaimer	The information offered in this data sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication, however, no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. This material is intended for industrial use only. No warranty, expressed or implied is made.	

**Revision information** 

This document has undergone significant changes and should be reviewed in its entirety.