

We make a material difference

SAFETY DATA SHEET

1. Identification

Product identifier Dualite U010-130D

Other means of identification

Product code DD001-1563

Filler. Recommended use

Recommended restrictions No other uses are advised. Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Chase Corporation Specialty Chemical Intermediates Company name

Address 9 Furman Hall Court

Greenville, SC 29609

United States

Telephone General Assitance 1-800-323-4182

E-mail Not available.

Chemtrec (US - 24 hrs) **Emergency phone number** 800-424-9300 Chemtrec (Int'l - 24 hrs) 703-527-3887

2. Hazard(s) identification

Physical hazards Flammable solids Category 1

Not classified. **Health hazards Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word Danger

Flammable solid. **Hazard statement**

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and

receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Wear

protective gloves/eye protection/face protection.

Response In case of fire: Use appropriate media to extinguish.

Store away from incompatible materials. Storage

Dispose of waste and residues in accordance with local authority requirements. **Disposal**

Hazard(s) not otherwise

classified (HNOC)

None known.

Material name: Dualite U010-130D SDS US 1/8

DD001-1563 Version #: 04 Revision date: 10-15-2020 Issue date: 06-24-2016

24.99% of the mixture consists of component(s) of unknown acute oral toxicity. 27.99% of the mixture consists of component(s) of unknown acute dermal toxicity. 98.98% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 98.98% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Isobutane		75-28-5	20 - < 30
Silicon dioxide		7631-86-9	3 - < 5
Other components below reportable levels			70 - < 80

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Rinse with water. Get medical attention if irritation develops and persists. Skin contact

Eve contact Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur. Dusts may irritate the respiratory tract, skin and eyes. **Most important**

symptoms/effects, acute and delayed

Indication of immediate Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an medical attention and special ambulance. Continue flushing during transport to hospital. treatment needed

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment

During fire, gases hazardous to health may be formed.

and precautions for firefighters Fire fighting

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

equipment/instructions Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards Flammable solid.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Avoid the generation of dusts during clean-up. Collect dust using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Material name: Dualite U010-130D SDS US

7. Handling and storage

Minimize dust generation and accumulation. Provide adequate precautions, such as electrical Precautions for safe handling

grounding and bonding, or inert atmospheres. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage,

Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with including any incompatibilities

sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Туре	Value	
Silicon dioxide (CAS 7631-86-9)	TWA	0.8 mg/m3	
		20 mppcf	
US. ACGIH Threshold Limit Value	es		
Components	Туре	Value	
Isobutane (CAS 75-28-5)	STEL	1000 ppm	
US. NIOSH: Pocket Guide to Che	mical Hazards		
Components	Туре	Value	
Isobutane (CAS 75-28-5)	TWA	1900 mg/m3	
		800 ppm	
Silicon dioxide (CAS	TWA	6 mg/m3	

Biological limit values Appropriate engineering

controls

7631-86-9)

No biological exposure limits noted for the ingredient(s). Explosion-proof general and local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

Wear appropriate chemical resistant gloves. **Hand protection**

Other Wear suitable protective clothing.

Respiratory protection Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits.

Thermal hazards Not applicable.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Solid. **Form** Powder. Color Pale yellow Odor Characteristic. Not available. Odor threshold Not available. Melting point/freezing point Not available. Initial boiling point and boiling Not available. range Not available. Flash point

Material name: Dualite U010-130D

SDS US

Not available. **Evaporation rate** Flammable solid. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available.

Vapor pressure Not available. Vapor density Not available. Not available. Relative density

Solubility(ies)

Insoluble. Solubility (water) Not available. Partition coefficient

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. Viscosity

Other information

0.90 g/cm³ **Density Explosive properties** Not explosive. Oxidizing properties Not oxidizing.

7 - 9 (10% dispersion) pH in aqueous solution

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Material is stable under normal conditions. **Chemical stability** Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Skin contact Dust or powder may irritate the skin.

Eye contact Dust may irritate the eyes.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Dusts may irritate the respiratory tract, skin and eyes.

Information on toxicological effects

Acute toxicity Not known.

Components **Species Test Results**

Silicon dioxide (CAS 7631-86-9)

Acute Oral

LD50 Rat > 22500 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Material name: Dualite U010-130D

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Silicon dioxide (CAS 7631-86-9)

3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

 Product
 Species
 Test Results

 Dualite U010-130D
 Aquatic

 Crustacea
 EC50
 Daphnia
 78200 mg/l, 48 hours estimated

 Fish
 LC50
 Fish
 87050 mg/l, 96 hours estimated

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Isobutane 2.76

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN number UN1325

UN proper shipping name

Flammable solids, organic, n.o.s. (Polymeric spheres containing isobutane)

Transport hazard class(es)

Class 4.1 Subsidiary risk -

Material name: Dualite U010-130D

DD001-1563 Version #: 04 Revision date: 10-15-2020 Issue date: 06-24-2016

Label(s) 4.1 Packing group П

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions A1, IB8, IP2, IP4, T3, TP33

151 Packaging exceptions Packaging non bulk 212 240 Packaging bulk

IATA

UN number UN1325

UN proper shipping name Transport hazard class(es) Flammable solid, organic, n.o.s. (Polymeric spheres containing isobutane)

4.1 Class Subsidiary risk П Packing group **Environmental hazards** No. **ERG Code** 3L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

Allowed with restrictions.

aircraft

Cargo aircraft only

Allowed with restrictions.

Not applicable.

IMDG

UN number UN1325

UN proper shipping name Transport hazard class(es) FLAMMABLE SOLID, ORGANIC, N.O.S. (Polymeric spheres containing isobutane)

Class 4.1 Subsidiary risk Ш Packing group

Environmental hazards

Marine pollutant No. **EmS** F-A, S-G

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

DOT







Material name: Dualite U010-130D

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Isobutane (CAS 75-28-5) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard categories

Flammable (gases, aerosols, liquids, or solids)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Isobutane (CAS 75-28-5)

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

California Proposition 65



WARNING: This product can expose you to Acrylonitrile, which is known to the State of California to cause

cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Acrylonitrile (CAS 107-13-1) Listed: July 1, 1987

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Isobutane (CAS 75-28-5)

International Inventories

Material name: Dualite U010-130D

On inventory (yes/no)*
No
No
No
Yes
No
Yes

Country(s) or region Inventory name On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Revision date 06-24-2016 10-15-2020

Version # 04

HMIS® ratings Health: 0

Flammability: 3 Physical hazard: 0

NFPA ratings Health: 0

Flammability: 3 Instability: 0

Disclaimer The information offered in this data sheet is designed only as guidance for the safe use, storage

and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication, however, no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. This material is intended for industrial use only.

No warranty, expressed or implied is made.

Revision information This document has undergone significant changes and should be reviewed in its entirety.

Material name: Dualite U010-130D sps us