

# We make a material difference

# SAFETY DATA SHEET

1. Identification

Product identifier Dualite U010-130W

Other means of identification

Product code DW001-1241

Recommended use Filler.

**Recommended restrictions** No other uses are advised. **Manufacturer/Importer/Supplier/Distributor information** 

Manufacturer

Company name Chase Corporation Specialty Chemical Intermediates

Address 9 Furman Hall Court

Greenville, SC 29609

**United States** 

**Telephone** General Assitance 1-800-323-4182

**E-mail** Not available.

Emergency phone number Chemtrec (US - 24 hrs) 800-424-9300

Chemtrec (Int'l - 24 hrs) 703-527-3887

#### 2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

**Response** Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** 19.41% of the mixture consists of component(s) of unknown acute oral toxicity. 22.32% of the

mixture consists of component(s) of unknown acute dermal toxicity. 70.86% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 70.86% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

#### 3. Composition/information on ingredients

**Mixtures** 

Material name: Dualite U010-130W

Chemical name	Common name and synonyms	CAS number	%
Isobutane		75-28-5	10 - < 20
Silicon dioxide		7631-86-9	1 - < 3
Other components below r	reportable levels		70 - < 80

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion Rinse mouth. Get medical attention if symptoms occur. Most important Dusts may irritate the respiratory tract, skin and eyes.

symptoms/effects, acute and delayed

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for firefighters Fire fighting

Use water spray to cool unopened containers.

equipment/instructions

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Avoid the generation of dusts during clean-up. Collect dust using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will spread on the water surface. Stop the flow of material. if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

#### 7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Practice good housekeeping.

Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible

materials (see Section 10 of the SDS).

Material name: Dualite U010-130W DW001-1241 Version #: 03 Revision date: 10-15-2020 Issue date: 05-31-2015

#### 8. Exposure controls/personal protection

#### Occupational exposure limits

Isobutane (CAS 75-28-5)

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Туре	Value
Silicon dioxide (CAS 7631-86-9)	TWA	0.8 mg/m3
		20 mppcf
US. ACGIH Threshold Limit Values		
Components	Туре	Value

US. NIOSH: Pocket Guide to Chemical Hazards				
Components	Туре	Value		
Isobutane (CAS 75-28-5)	TWA	1900 mg/m3		
		800 ppm		
Silicon dioxide (CAS 7631-86-9)	TWA	6 mg/m3		

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering

If material is ground, cut, or used in any operation which may generate dusts, use appropriate local

1000 ppm

controls exhaust ventilation to keep exposures below the recommended exposure limits.

**STEL** 

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

Wear appropriate chemical resistant gloves. Hand protection

Other Wear suitable protective clothing.

Solid.

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels Respiratory protection

exceeding the exposure limits.

Thermal hazards Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Physical state Powder. **Form** Color Pale yellow Odor Characteristic. **Odor threshold** Not available. Ηq Not available. Melting point/freezing point Not available. Initial boiling point and boiling Not available. range Not available. Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not available. (%) Flammability limit - upper Not available. Explosive limit - lower (%) Not available.

Material name: Dualite U010-130W

SDS US DW001-1241 Version #: 03 Revision date: 10-15-2020 Issue date: 05-31-2015

Explosive limit - upper (%) Not available.

Vapor pressure 0.00001 hPa estimated

Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Insoluble.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

**Density** 0.90 g/cm³ (Dried powder)

**Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

pH in aqueous solution 6 - 9 (10% dispersion)

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

#### 11. Toxicological information

Information on likely routes of exposure

InhalationDust may irritate respiratory system.Skin contactDust or powder may irritate the skin.

**Eve contact** Dust may irritate the eyes.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Dusts may irritate the respiratory tract, skin and eyes.

Information on toxicological effects

Acute toxicity Not known.

Components Species Test Results

Silicon dioxide (CAS 7631-86-9)

Acute Oral

LD50 Rat > 22500 mg/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye** Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

Material name: Dualite U010-130W

## IARC Monographs. Overall Evaluation of Carcinogenicity

Silicon dioxide (CAS 7631-86-9)

3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** 

Not an aspiration hazard.

12. Ecological information

**Ecotoxicity** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Isobutane 2.76

No data available. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

#### 14. Transport information

DOT

**UN** number UN2211

**UN** proper shipping name

Polymeric beads, expandable

Transport hazard class(es) Class

9 Subsidiary risk Label(s) 9 Ш Packing group

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

32, IB8, IP3, IP7, T1, TP33 Special provisions

155 Packaging exceptions 221 Packaging non bulk 221 Packaging bulk

IATA

UN2211 **UN** number

**UN proper shipping name** 

Polymeric beads, expandable

Transport hazard class(es)

9 Class Subsidiary risk Packing group Ш **Environmental hazards** Nο **ERG Code** 9L

Material name: Dualite U010-130W DW001-1241 Version #: 03 Revision date: 10-15-2020 Issue date: 05-31-2015 Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Allowed with restrictions.

Other information

Passenger and cargo

aircraft

Cargo aircraft only Allowed with restrictions.

**IMDG** 

**UN** number UN2211

**UN proper shipping name** POLYMERIC BEADS, EXPANDABLE

Transport hazard class(es)

**Class** 9 Subsidiary risk Ш Packing group **Environmental hazards** 


Marine pollutant No. F-A. S-I **EmS** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not applicable.

the IBC Code DOT; IATA; IMDG



## 15. Regulatory information

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard **US** federal regulations

Communication Standard, 29 CFR 1910.1200.

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Isobutane (CAS 75-28-5) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

## Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Isobutane (CAS 75-28-5)

Material name: Dualite U010-130W

ct Not regulated.

(SDWA)

#### **US state regulations**

## **California Proposition 65**



WARNING: This product can expose you to Acrylonitrile, which is known to the State of California to cause

cancer. For more information go to www.P65Warnings.ca.gov.

#### California Proposition 65 - CRT: Listed date/Carcinogenic substance

Inventory name

Acrylonitrile (CAS 107-13-1) Listed: July 1, 1987

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Isobutane (CAS 75-28-5)

#### International Inventories

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances	No

(PICCS)

Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

#### 16. Other information, including date of preparation or last revision

 Issue date
 05-31-2015

 Revision date
 10-15-2020

Version # 03

HMIS® ratings Health: 0 Flammability: 0

Physical hazard: 0

NFPA ratings Health: 0

Flammability: 0 Instability: 0

**Disclaimer** The information offered in this data sheet is designed only as guidance for the safe use, storage

and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication, however, no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. This material is intended for industrial use only.

No warranty, expressed or implied is made.

**Revision information**This document has undergone significant changes and should be reviewed in its entirety.

Material name: Dualite U010-130W SDS US

On inventory (yes/no)\*

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).