

## SAFETY DATA SHEET

### 1. Identification

|   |  |                |
|---|--|----------------|
| <b>Product identifier</b>                                     | <b>Dualite U015-135W</b>                                     |                |
| <b>Other means of identification</b>                          |  |                |
| <b>Product code</b>   | 3337   |                |
| <b>Recommended use</b>  | Filler   |                |
| <b>Recommended restrictions</b>                               | None known.  |                |
| <b>Manufacturer/Importer/Supplier/Distributor information</b> |  |                |
| <b>Manufacturer</b>   |  |                |
| <b>Company name</b>   | Chase Corporation Specialty Chemical Intermediates           |                |
| <b>Address</b>  | 9 Furman Hall Court<br>Greenville, SC 29609<br>United States |                |
| <b>Telephone</b>  | General Assitance  | 1-800-323-4182 |
| <b>E-mail</b>   | Not available.   |                |
| <b>Emergency phone number</b>                                 | Chemtrec (US - 24 hrs)                                       | 800-424-9300   |
|   | Chemtrec (Int'l - 24 hrs)                                    | 703-527-3887   |

### 2. Hazard(s) identification

|                              |                 |            |
|------------------------------|-----------------|------------|
| <b>Physical hazards</b>      | Not classified. |            |
| <b>Health hazards</b>        | Carcinogenicity | Category 2 |
| <b>Environmental hazards</b> | Not classified. |            |
| <b>OSHA defined hazards</b>  | Not classified. |            |

#### Label elements



|  |   |
|--|---|
| <b>Signal word</b>                               | Warning   |
| <b>Hazard statement</b>                          | Suspected of causing cancer.  |
| <b>Precautionary statement</b>                   |   |
| <b>Prevention</b>                                | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.  |
| <b>Response</b>                                  | If exposed or concerned: Get medical advice/attention.  |
| <b>Storage</b>                                   | Store locked up.  |
| <b>Disposal</b>                                  | Dispose of contents/container in accordance with local/regional/national/international regulations.   |
| <b>Hazard(s) not otherwise classified (HNOC)</b> | None known.   |
| <b>Supplemental information</b>                  | 64% of the mixture consists of component(s) of unknown acute oral toxicity. 66.5% of the mixture consists of component(s) of unknown acute dermal toxicity. 66.5% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 66.5% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment. |

### 3. Composition/information on ingredients

#### Mixtures

| Chemical name                            | Common name and synonyms | CAS number | %         |
|--|--------------------------|------------|-----------|
| Isobutane                                |                          | 75-28-5    | 5 - < 10  |
| Silicon dioxide                          |                          | 7631-86-9  | 1 - < 3   |
| 1,1-dichloroethylene                     |                          | 75-35-4    | < 1       |
| Other components below reportable levels |                          |            | 80 - < 90 |

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

### 4. First-aid measures

|   |   |
|---|---|
| <b>Inhalation</b>   | Move to fresh air. Call a physician if symptoms develop or persist.   |
| <b>Skin contact</b>   | Wash off with soap and water. Get medical attention if irritation develops and persists.  |
| <b>Eye contact</b>  | Rinse with water. Get medical attention if irritation develops and persists.  |
| <b>Ingestion</b>  | Rinse mouth. Get medical attention if symptoms occur.   |
| <b>Most important symptoms/effects, acute and delayed</b>                     | Direct contact with eyes may cause temporary irritation.  |
| <b>Indication of immediate medical attention and special treatment needed</b> | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.  |
| <b>General information</b>  | IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. |

### 5. Fire-fighting measures

|  |   |
|--|---|
| <b>Suitable extinguishing media</b>                                  | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).                      |
| <b>Unsuitable extinguishing media</b>                                | Do not use water jet as an extinguisher, as this will spread the fire.                        |
| <b>Specific hazards arising from the chemical</b>                    | During fire, gases hazardous to health may be formed.   |
| <b>Special protective equipment and precautions for firefighters</b> | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| <b>Fire fighting equipment/instructions</b>                          | Use water spray to cool unopened containers.  |
| <b>Specific methods</b>  | Use standard firefighting procedures and consider the hazards of other involved materials.    |
| <b>General fire hazards</b>  | No unusual fire or explosion hazards noted.   |

### 6. Accidental release measures

|  |  |
|--|--|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| <b>Methods and materials for containment and cleaning up</b>               | Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.   |
| <b>Environmental precautions</b>   | Avoid discharge into drains, water courses or onto the ground.   |

### 7. Handling and storage

|   |  |
|---|--|
| <b>Precautions for safe handling</b>                                | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. |
| <b>Conditions for safe storage, including any incompatibilities</b> | Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).  |

### 8. Exposure controls/personal protection

#### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

**US. OSHA Table Z-3 (29 CFR 1910.1000)**

| Components                      | Type | Value     |
|---------------------------------|------|-----------|
| Silicon dioxide (CAS 7631-86-9) | TWA  | 0.8 mg/m3 |
|                                 |      | 20 mppcf  |

**US. ACGIH Threshold Limit Values**

| Components                         | Type | Value    |
|------------------------------------|------|----------|
| 1,1-dichloroethylene (CAS 75-35-4) | TWA  | 5 ppm    |
| Isobutane (CAS 75-28-5)            | STEL | 1000 ppm |

**US. NIOSH: Pocket Guide to Chemical Hazards**

| Components                      | Type | Value      |
|---------------------------------|------|------------|
| Isobutane (CAS 75-28-5)         | TWA  | 1900 mg/m3 |
|                                 |      | 800 ppm    |
| Silicon dioxide (CAS 7631-86-9) | TWA  | 6 mg/m3    |

|  |   |
|--|---|
| <b>Biological limit values</b>   | No biological exposure limits noted for the ingredient(s).  |
| <b>Appropriate engineering controls</b>                                      | Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. |
| <b>Individual protection measures, such as personal protective equipment</b> |   |
| <b>Eye/face protection</b>   | If contact is likely, safety glasses with side shields are recommended.   |
| <b>Skin protection</b>   |   |
| <b>Hand protection</b>   | Wear appropriate chemical resistant gloves.   |
| <b>Other</b>   | Use of an impervious apron is recommended.  |
| <b>Respiratory protection</b>  | In case of insufficient ventilation, wear suitable respiratory equipment.   |
| <b>Thermal hazards</b>   | Not applicable.   |
| <b>General hygiene considerations</b>  | Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.  |

**9. Physical and chemical properties****Appearance**

|   |                           |
|---|---------------------------|
| <b>Physical state</b>                               | Solid.                    |
| <b>Form</b>   | Powder.                   |
| <b>Color</b>  | White Yellow              |
| <b>Odor</b>   | Slight.                   |
| <b>Odor threshold</b>                               | Not available.            |
| <b>pH</b>   | 3 - 4                     |
| <b>Melting point/freezing point</b>                 | Not available.            |
| <b>Initial boiling point and boiling range</b>      | Not available.            |
| <b>Flash point</b>                                  | Not available.            |
| <b>Evaporation rate</b>                             | Slower than diethyl ether |
| <b>Flammability (solid, gas)</b>                    | Not available.            |
| <b>Upper/lower flammability or explosive limits</b> |                           |
| <b>Flammability limit - lower (%)</b>               | Not available.            |
| <b>Flammability limit - upper (%)</b>               | Not available.            |
| <b>Explosive limit - lower (%)</b>                  | Not available.            |

|  |  |
|--|--|
| <b>Explosive limit - upper (%)</b>             | Not available.   |
| <b>Vapor pressure</b>                          | Heavier than air                                       |
| <b>Vapor density</b>                           | Not available.   |
| <b>Relative density</b>                        | Not available.   |
| <b>Solubility(ies)</b>                         |  |
| <b>Solubility (water)</b>                      | Not available.   |
| <b>Partition coefficient (n-octanol/water)</b> | Not available.   |
| <b>Auto-ignition temperature</b>               | Not available.   |
| <b>Decomposition temperature</b>               | Not available.   |
| <b>Viscosity</b>                               | Not available.   |
| <b>Other information</b>                       |  |
| <b>Density</b>                                 | 1.20 g/cm <sup>3</sup>                                 |
| <b>Explosive properties</b>                    | In use may form flammable/explosive vapor-air mixture. |
| <b>Oxidizing properties</b>                    | Not oxidizing.   |
| <b>Particle size</b>                           | 2 - 30 µm  |
| <b>Specific gravity</b>                        | 1.2 estimated  |

## 10. Stability and reactivity

|   |   |
|---|---|
| <b>Reactivity</b>                         | The product is stable and non-reactive under normal conditions of use, storage and transport.                           |
| <b>Chemical stability</b>                 | Material is stable under normal conditions.   |
| <b>Possibility of hazardous reactions</b> | Hazardous polymerization does not occur.  |
| <b>Conditions to avoid</b>                | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials. |
| <b>Incompatible materials</b>             | Strong oxidizing agents.  |
| <b>Hazardous decomposition products</b>   | In case of fire: Carbon monoxide. Hydrogen chloride. Nitrogen oxides (NOx).   |

## 11. Toxicological information

### Information on likely routes of exposure

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | Prolonged inhalation may be harmful.                     |
| <b>Skin contact</b> | No adverse effects due to skin contact are expected.     |
| <b>Eye contact</b>  | Direct contact with eyes may cause temporary irritation. |
| <b>Ingestion</b>    | Expected to be a low ingestion hazard.                   |

**Symptoms related to the physical, chemical and toxicological characteristics** Direct contact with eyes may cause temporary irritation.

### Information on toxicological effects

**Acute toxicity** Not known.

| Components                               | Species  | Test Results  |
|--|--|---------------|
| 1,1-dichloroethylene (CAS 75-35-4)       |  |               |
| <b>Acute</b>                             |  |               |
| <b>Oral</b>                              |  |               |
| LD50                                     | Rat  | 80 mg/kg      |
| Silicon dioxide (CAS 7631-86-9)          |  |               |
| <b>Acute</b>                             |  |               |
| <b>Oral</b>                              |  |               |
| LD50                                     | Rat  | > 22500 mg/kg |
| <b>Skin corrosion/irritation</b>         | Prolonged skin contact may cause temporary irritation.   |               |
| <b>Serious eye damage/eye irritation</b> | Direct contact with eyes may cause temporary irritation. |               |

## Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** Suspected of causing cancer.

### IARC Monographs. Overall Evaluation of Carcinogenicity

1,1-dichloroethylene (CAS 75-35-4)

2B Possibly carcinogenic to humans.

Silicon dioxide (CAS 7631-86-9)

3 Not classifiable as to carcinogenicity to humans.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

### US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

**Specific target organ toxicity - single exposure** Not classified.

**Specific target organ toxicity - repeated exposure** Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Product                            | Species        | Test Results  |
|------------------------------------|----------------|---|
| Dualite U015-135W                  |                |   |
| <b>Aquatic</b>                     |                |   |
| Fish                               | LC50           | 19182.3711 mg/l, 96 hours estimated                   |
| <b>Components</b>                  | <b>Species</b> | <b>Test Results</b>                                   |
| 1,1-dichloroethylene (CAS 75-35-4) |                |   |
| <b>Aquatic</b>                     |                |   |
| Fish                               | LC50           | Bluegill (Lepomis macrochirus) 57 - 91 mg/l, 96 hours |

**Persistence and degradability** No data is available on the degradability of any ingredients in the mixture.

### Bioaccumulative potential

#### Partition coefficient n-octanol / water (log Kow)

1,1-dichloroethylene 2.13  
Isobutane 2.76

**Mobility in soil** No data available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code** D029: Waste 1,1-Dichloroethylene  
The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

### DOT

**UN number** UN2211  
**UN proper shipping name** Polymeric beads, expandable  
**Transport hazard class(es)**  
**Class** 9  
**Subsidiary risk** -  
**Packing group** III  
**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

### IATA


**UN number** UN2211  
**UN proper shipping name** Polymeric beads, expandable  
**Transport hazard class(es)**  
**Class** 9  
**Subsidiary risk** -  
**Packing group** III  
**Environmental hazards** No.  
**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

### IMDG

**UN number** UN2211  
**UN proper shipping name** POLYMERIC BEADS, EXPANDABLE  
**Transport hazard class(es)**  
**Class** 9  
**Subsidiary risk** -  
**Packing group** III  
**Environmental hazards**  
**Marine pollutant** No.  
**EmS** Not available.  
**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

DOT; IATA; IMDG



## 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### Toxic Substances Control Act (TSCA)

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### CERCLA Hazardous Substance List (40 CFR 302.4)

1,1-dichloroethylene (CAS 75-35-4) Listed.

Isobutane (CAS 75-28-5) Listed.

### SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

### SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312 Hazardous chemical** Yes

**Classified hazard categories** Carcinogenicity

### SARA 313 (TRI reporting)

| Chemical name        | CAS number | % by wt. |
|----------------------|------------|----------|
| 1,1-dichloroethylene | 75-35-4    | < 1      |

## Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

1,1-dichloroethylene (CAS 75-35-4)

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

1,1-dichloroethylene (CAS 75-35-4)

Isobutane (CAS 75-28-5)

**Safe Drinking Water Act (SDWA)** Not regulated.

## US state regulations

### California Proposition 65



**WARNING:** This product can expose you to chemicals including 1,1-dichloroethylene, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### California Proposition 65 - CRT: Listed date/Carcinogenic substance

1,1-dichloroethylene (CAS 75-35-4)

Listed: December 29, 2017

Acrylonitrile (CAS 107-13-1)

Listed: July 1, 1987

### US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

1,1-dichloroethylene (CAS 75-35-4)

Isobutane (CAS 75-28-5)

## International Inventories

| Country(s) or region        | Inventory name   | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia                   | Australian Inventory of Chemical Substances (AICS)                     | Yes                    |
| Canada                      | Domestic Substances List (DSL)   | Yes                    |
| Canada                      | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                    |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | No                     |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | Yes                    |
| Korea                       | Existing Chemicals List (ECL)  | Yes                    |
| New Zealand                 | New Zealand Inventory  | Yes                    |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes                    |
| Taiwan                      | Taiwan Chemical Substance Inventory (TCSI)                             | Yes                    |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | Yes                    |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

|                      |   |
|----------------------|---|
| <b>Issue date</b>    | 02-21-2020  |
| <b>Version #</b>     | 01  |
| <b>HMIS® ratings</b> | Health: 0*<br>Flammability: 0<br>Physical hazard: 0 |

**NFPA ratings**

Health: 0  
Flammability: 0  
Instability: 0

**Disclaimer**

The information offered in this data sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication, however, no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. This material is intended for industrial use only. No warranty, expressed or implied is made.